

Cater machine pre-install pack



Cater

Thank you for selecting the Cater from the Crem Coffee Queen range of high quality machines.

Cater is a fast, flexible brewer which brews straight into an elegant 2.5 litre serving station (thermos) with tap and level indicator tube. Two variants of the machine are available, with a single or double brewer. With a brewing time of only 5.5 minutes, the coffee is ready in an instant! Since no external heat is supplied, the coffee retains its excellent taste and aroma for a long time.


Cater also makes coffee serving easy and flexible. The serving station fits into all possible environments, and it is easy to handle. Lift the serving station off the brewer and put it wherever you want to serve the coffee. You can also specially design display covers for the serving stations, for easy indication of the coffee that is served. Simple and really neat!

Features

- Automatic water filling
- Tea water outlet
- Full and half brew function
- 5 ltr tank capacity
- 17-35 cups in 5.5mins
- Serving station concept



Tea water tap




Fast draw tap with level glass



Optional extra serving stations

Cater

Cater machine pre-install pack



technical specifications

Group	Power supply	Boiler (litres)	Width mm	Depth mm	Height mm	Amps	Weight
Single Cater	2200W/230V	5	205	420	675	10A	15Kg
Double Cater	4400W/230V	2 x 5	410	420	675	20A	30Kg

Cater

Cater machine pre-install pack

technical specifications

Group	Power supply	Boiler (litres)	Width mm	Depth mm	Height mm	Amps	Weight
Single Cater	2200W/230V	5	205	420	675	10A	15Kg
Double Cater	4400W/230V	2 x 5	410	420	675	20A	30Kg

pre-install check list

Electrical supply socket within 1 metre.
See connection chart above.

☐

Preferred work surface height 900mm
(only for optimum working)

☐

15 mm Dedicated cold water supply
within 1 metre with 3/4" washer tap.

☐

Has 40mm diameter hole been made
through work top for pipes/cables. (see p2)

☐

Work top area complete and with space
for machine

☐

Space for water filter under work top
(see Bestmax dimensions on p2)

☐

The electrical and water supplies are
working?

☐

Work top capable of supporting weight

☐

Is there coffee and cups on site so the
engineer can commission the machine?

☐

Are there any site access issues that the
engineer should be made aware of?

Please sign and date the declaration below to
confirm all the above is correct, and please
fax or post back to Crem International UK
Ltd. If for any reason the engineer can not
install the machine on your preferred date
due to any of the above being false, a recall
charge of £120.00 + Vat will become
payable.

Crem International UK Ltd
Unit 3b Bentley Wood Way
Network 65 Business Park
Burnley, Lancashire, BB11 5ST.

install address:

install date req. / /

name:

telephone:

signed:

date:

/ /

Cater

Cater machine pre-install pack



technical specifications

Group	Power supply	Boiler (litres)	Width mm	Depth mm	Height mm	Amps	Weight
Single Cater	2200W/230V	5	205	420	675	10A	15Kg
Double Cater	4400W/230V	2 x 5	410	420	675	20A	30Kg

Crem International UK Ltd
Unit 3b Bentley Wood Way
Network 65 Business Park
Burnley, Lancashire, BB11 5ST.

Tel. 01282 458473 Fax. 01282 450355
www.creminternational.co.uk

Cater

