

Zircon espresso machine pre-install pack



Zircon

Thank you for selecting the Zircon from the Crem Expobar range of high quality traditional espresso machines.

To ensure that your new machine will give you years of trouble free service, then please take the time to ensure that all of the requirements within this information pack are followed and that the pre-installation check list is completed and returned.

We have combined our genuine experience of building first-class espresso machines with creative solutions and the latest innovative technology. Therefore, you can be sure that all Zircon machines deliver what they promise. That is, a perfectly brewed espresso to your customers every day, year after year.

Features

Built-in volumetric motor pump, equipped with two retention valves and solid particles filter.

Copper boiler with heat exchanger per group and pressure relief valve
Boiler drain tap (except Compact/Mini models).

Group head with direct pre-infusion chamber.

One steam arm and one hot water tap in Compact/Mini and 2 groups models.

Two steam arms and one hot water tap in 3 & 4 groups and Display models.



Take Away design
(taller cups)




Cup tray with great capacity




Programmable groups

Zircon espresso machine pre-install pack



hole location through counter

Bestmax Filter	
WMMR	500x130
WMLR	530x145
WMXLR	530x145
WM2XLR	600x185



Zircon espresso machine pre-install pack

technical specifications

Group	Power	Supply	Width mm	Depth mm	Height mm	Weight
2 Group Compact	2780W/230V	13A Socket	460	580	530	40Kg
2 Group	3300W/230V	16A Hard Wired	690	580	530	45Kg
3 Group	4290W/380V	3 phase + N	980	580	530	65Kg
3 Group	6290W/380V	3 phase + N	980	580	530	65Kg

pre-install check list

- Electrical supply within 1 metre. See supply chart above.**
 Preferred work surface height 900mm (only for optimum working)
- 15 mm Dedicated cold water supply within 1 metre with 3/4" washer tap.**
 Has 50mm diameter hole been made through work top for pipes/cables. (see p2)
- 35mm Trapped Waste Under work top within 1 metre**
 Space for water filter under work top (see Bestmax dimensions on p2)
- Work top area complete and with space for machine**
 Is someone on site to help engineer lift the machine.
- Space for grinder with 13A socket**
 Work top capable of supporting weight
- The electrical and water supplies are working?**
 Are there any site access issues that the engineer should be made aware of?
- Is there coffee and cups on site so the engineer can commission the machine?**

install address:

Please sign and date the declaration below to confirm all the above is correct, and please email or post back to us. If for any reason the engineer can not install the machine on your preferred date due to any of the above being false, a recall charge at the current rate will become payable to cover the engineer expenses.

install date req. / /

name: _____

telephone: _____

Signed:

date:

