


SPENGLER PSL

INSTALLATION PACK





Technical Specifications

Model	Power supply	Connection	Width mm	Depth mm	Height mm	Amps	Weight
PSL	3000W/230V	13A Socket	450	455	810	13.0A	48Kg

Technical Specifications

Model	Power supply	Connection	Width mm	Depth mm	Height mm	Amps	Weight
PSL	3000W/230V	13A Socket	450	455	810	13.0A	48Kg

pre-install check list

Electrical supply socket within 1 metre.
See connection chart above.

☐

Preferred work surface height 900mm
(only for optimum working)

☐

15 mm Dedicated cold water supply
within 1 metre with 3/4" washer tap.

☐

Has 40mm diameter hole been made
through work top for pipes/cables. (see p2)

☐

Work top area complete and with space
for machine

☐

Space for water filter under work top
(see Bestmax dimensions on p2)

☐

The electrical and water supplies are
working?

☐

Work top capable of supporting weight

☐

Is there coffee/ingredients and cups on
site so the engineer can commission the
machine?

☐

Are there any site access issues that the
engineer should be made aware of?

install address:

Please sign and date the declaration below to
confirm all the above is correct, and please
fax or post back. If for any reason the
engineer can not install the machine on your
preferred date due to any of the above being
false, a recall charge of £120.00 + Vat will
be become payable.

install date req. / /

name: _____

signed: _____

telephone: _____

date: / /